Page 2 of 19

AMENDMENT

Please amend the application as follows:

In the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

 (currently amended) A method for selectively inhibiting estrogen production and providing estrogenic effects, the method comprising:

ingesting providing for use a dietary supplement wherein the supplement comprises having a processed Morinda citrifolia product;

quercetin present in an amount between about 0.1 and 10 percent by weight; and rutin present in an amount between 0.1 and 10 percent by weight,

- (original) A method as recited in claim 1, wherein the processed product is one of:
 - Morinda citrifolia fruit juice;
 - (ii) Morinda citrifolia oil extract;
 - (iii) Morinda citrifolia dietary fiber;
 - (iv) Morinda citrifolia puree juice;
 - (v) Morinda citrifolia puree;
 - (vi) Morinda citrifolia fruit juice concentrate;
 - (vii) Morinda citrifolia puree juice concentrate; and
 - (viii) Morinda citrifolia leaf extract.

Page 3 of 19

 (currently amended) A method as recited in claim 2, further comprising the step for providing a recommended use of the dietary supplement, wherein the ingestion recommended use includes one of:

> consuming one fluid ounce of the dietary supplement per day; consuming more than one fluid ounce of the dietary supplement per day; and consuming less than one fluid ounce of the dietary supplement per day.

- (currently amended) A method as recited in claim 3, wherein the ingestion recommended-use further includes consuming the dictary supplement before a meal.
- (original) A method as recited in claim 1, wherein the use comprises one of (i) consumption, or (ii) transdermal application.
- (original) A method as recited in claim 1, further comprising using the dietary supplement as an aromatase inhibitor.
- 7. (previously presented) A method for selectively inhibiting estrogen production and providing estrogenic effects, the method comprising ingesting a processed product comprising: quercetin present in an amount between about 0.1 and 10 percent by weight; and rutin present in an amount between 0.1 and 10 percent by weight in the form of a dietary supplement as an aromotas inhibitor to control production of estrogen in a body.
- (original) A method as recited in claim 7, further comprising using the processed extract to provide estrogenic effects in the body.

Page 4 of 19

 (original) A method as recited in claim 7, wherein the processed extract is in the form of a dermal cream.

10. (currently amended) A method as recited in claim 7, wherein the ingestion

recommended use includes one of:

consuming one fluid ounce of the dietary supplement per day; consuming more than one fluid ounce of the dietary supplement per day; and consuming less than one fluid ounce of the dietary supplement per day.

(currently amended) A method as recited in claim 10, wherein the <u>ingestion</u>
 recommended use further includes consuming the dietary supplement before a meal.

 (withdrawn) A dietary supplement for inhibiting estrogen production and increasing estrogen levels in a human, the supplement comprising a processed Morinda citrifolia product.

- (withdrawn) A dietary supplement as recited in claim 12, wherein the product is one of:
 - (i) Morinda citrifolia leaves; and
 - Morinda citrifolia juice.
- 14. (withdrawn) A method for inhibiting aromatase and aromatase enzymes that function to convert androgens to estrogens, said method comprising introducing into a mammal a composition comprising a processed *Morinda citrifolia* product present in an amount between about 0.01 and 100 percent by weight, said processed *Morinda citrifolia* product comprising the active ingredient Ouercetin.

Page 5 of 19

15. (withdrawn) The method of claim 14, wherein said Quercetin is present in an

amount between about 0.1 and 10 percent by weight.

16. (withdrawn) The method of claim 14, wherein said processed Morinda citrifolia

product comprises at least one of:

(i) Morinda citrifolia fruit juice;

(ii) Morinda citrifolia oil extract;

(iii) Morinda citrifolia dietary fiber;

(iv) Morinda citrifolia puree juice;

(v) Morinda citrifolia puree;

(vi) Morinda citrifolia fruit juice concentrate; and

(vii) Morinda citrifolia puree juice concentrate.

17. (withdrawn) The method of claim 14, wherein said processed Morinda citrifolia

product further comprises Rutin as an additional active ingredient that synergistically works with

said Ouercetin to inhibit said aromatase.

18. (withdrawn) The method of claim 17, wherein said Rutin is present in an amount

between about 0.1 and 10 percent by weight.

19. (withdrawn) The method of claim 14, wherein said composition is administered

in one of the following techniques:

Page 6 of 19

orally;

(ii) transdermally to said infected area;

(iii) by injection into said infected area;

(iv) intravenously; and

(v) systemically.

20. (withdrawn) A method for inhibiting aromatase and preventing the formation and growth of estrogen-dependent cancerous cells within a mammal, said method comprising the steps of:

adding a processed *Morinda citrifolia* product to an alcohol-based solution;

isolating and extracting an active ingredient of said processed *Morinda citrifolia* product from said solution:

introducing said extracted active ingredient into said mammal, wherein said extracted active ingredient inhibits, prevents, destroys, and reverses the effects of said estrogen-dependent cancerous cells.

- 21. (withdrawn) The method of claim 20, wherein said processed Morinda citrifolia product comprises at least one of (i) processed Morinda citrifolia fruit juice, and (ii) processed Morinda citrifolia product comprises processed Morinda citrifolia puree.
- 22. (withdrawn) The method of claim 20, wherein said alcohol-based solution is selected from the group consisting essentially of methanol, ethanol, and ethyl acetate, and other alcohol-based derivatives.

Page 7 of 19

23. (withdrawn) The method of claim 20, wherein said active ingredient is Quercetin.

24. (withdrawn) The method of claim 23, wherein said active ingredient is Rutin that

synergistically works with said Quercetin to inhibit said aromatase and prevent said formation

and growth of said estrogen-dependent cancerous cells.

25. (withdrawn) The method of claim 20, wherein said step of introducing said

extracted active ingredient comprises orally administering two ounces of a food product to a

patient twice daily each day on an empty stomach, said food product comprising said active

ingredient obtained from said processed Morinda citrifolia product.

26. (withdrawn) The method of claim 20, wherein said step of introducing said

extracted active ingredient comprises applying a topical composition to said area, said topical

composition comprising said active ingredient obtained from said processed Morinda citrifolia

product.

27. (withdrawn) A method for inhibiting aromatase and preventing the formation and

growth of estrogen-dependent cancerous cells within a mammal, said method comprising the

steps of:

orally administering to said mammal at least one ounce of a naturaceutical formulation

comprising a processed Morinda citrifolia product on an empty stomach in the

morning;

Page 8 of 19

orally administering to said mammal at least one ounce of said naturaceutical formulation on an empty stomach prior to sleeping at night; and

repeating said steps of orally administering each day until said estrogen-dependent cancerous cells are destroyed.

28. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight of about 100 percent.

29. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight between about 85-99.99 percent; and

water present in an amount by weight between about 0.1-15 percent.

30. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight between about 85-99.99 percent; and

non-Morinda citrifolia-based fruit juices present in an amount by weight between about

0.1-15 percent.

Page 9 of 19

31. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight between about 50-90 percent;

water present in an amount by weight between about 0.1-50 percent; and non-*Morinda citrifolia*-based fruit juices present in an amount between about 0.1-30 percent.

32. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight of about 100 percent.

 (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight between about 85-99.99 percent; and

water present in an amount by weight between about 0.1-15 percent.

34. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight between about 85-99.99 percent; and

Page 10 of 19

non-Morinda citrifolia-based fruit juices present in an amount by weight between about 0.1-15 percent.

35. (withdrawn) The method of claim 27, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight between about 50-90 percent;

water present in an amount by weight between about 0.1-50 percent; and non-Morinda citrifolia-based fruit juices present in an amount between about 0.1-30 percent.

- (withdrawn) The method of claim 27, wherein said step of orally administering comprises orally administering two ounces of said naturaceutical formulation.
- 37. (withdrawn) A method for regulating estrogen production and inhibiting the ability of estrogen receptors from binding with estrogen, said method comprising the steps of: orally administering at least one ounce of a naturaceutical formulation comprising a processed Morinda citrifolia product in the morning on an empty stomach; and orally administering at least one ounce of said naturaceutical formulation prior to sleeping at night.
- 38. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

Page 11 of 19

processed Morinda citrifolia fruit juice present in an amount by weight between about 100 percent.

 (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight between about 85-99.99 percent; and

water present in an amount by weight between about 0.1-15 percent.

40. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight between about 85-99.99 percent; and

non-Morinda citrifolia-based fruit juices present in an amount by weight between about 0.1-15 percent.

41. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia fruit juice present in an amount by weight between about 50-90 percent;

water present in an amount by weight between about 0.1-50 percent; and non-Morinda citrifolia-based fruit juices present in an amount between about 0.1-30 percent.

Page 12 of 19

42. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight of about 100 percent.

43. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight between about 85-99.99 percent; and

water present in an amount by weight between about 0.1-15 percent.

44. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight between about 85-99.99 percent; and

non- $Morinda\ citrifolia$ -based fruit juices present in an amount by weight between about $0.1\text{-}15\ \text{percent}.$

45. (withdrawn) The method of claim 37, wherein said naturaceutical formulation comprises:

processed Morinda citrifolia puree juice present in an amount by weight between about 50-90 percent;

Page 13 of 19

water present in an amount by weight between about 0.1-50 percent; and non-Morinda citrifolia-based fruit juices present in an amount between about 0.1-30 percent.

- 46. (withdrawn) The method of claim 37, wherein said step of orally administering comprises orally administering two ounces of said naturaceutical formulation twice daily each day.
- 47. (withdrawn) A method for inhibiting aromatase and the ability of estrogen to bind with estrogen receptors to treat, prevent, inhibit, destroy, and reverse the effects of estrogendependent cancerous cells within a mammal, said method comprising the steps of:

introducing, systemically, an internal composition into said mammal, said internal composition comprising:

a processed $Morinda\ citrifolia\$ product present in an amount by weight between about 10-80 percent; and

a carrier medium present in an amount by weight between about 20-90 percent.

- 48. (withdrawn) The method of claim 47, wherein said processed Morinda citrifolia product comprises at least one of:
 - (i) processed Morinda citrifolia fruit juice;
 - (ii) processed Morinda citrifolia puree juice; and
 - (iii) processed Morinda citrifolia dietary fiber.

Page 14 of 19

49. The method of claim 47, wherein said step of introducing an internal composition

selected from the group consisting of intravenous introduction, oral introduction, and injection.

50. (withdrawn) A method for inhibiting aromatase and regulating estrogen

production, said method comprising the steps of:

introducing an internal composition to a mammal, said internal composition comprising:

a processed Morinda citrifolia product present in an amount by weight between

about 5-80 percent; and

a carrier medium present in an amount by weight between about 20-95 percent.

51. (withdrawn) The method of claim 50, wherein said processed Morinda citrifolia

product is selected from the group consisting of processed Morinda citrifolia fruit juice.

processed Morinda citrifolia puree juice, processed Morinda citrifolia dietary fiber, processed

Morinda citrifolia oil, and processed Morinda citrifolia oil extract.

52. (withdrawn) The method of claim 50, wherein said step of introducing an internal

composition comprises methods selected from the group consisting of intravenous introduction,

oral introduction, transdermal introduction, and injection.

53. (withdrawn) An aromatase inhibitor for treating estrogen-dependent tumorous

cells in mammals comprising:

a naturaceutical composition comprising at least one processed Morinda citrifolia

product.

Page 15 of 19

(withdrawn) The aromatase inhibitor of claim 53, wherein said processed

Morinda citrifolia product comprises at least one of:

- (i) Morinda citrifolia fruit juice;
- (ii) Morinda citrifolia puree juice;
- (iii) Morinda citrifolia puree juice concentrate;
- (iv) Morinda citrifolia fruit juice concentrate; and
- (v) Morinda citrifolia dietary fiber.
- 55. (withdrawn) The formulation of claim 53, wherein said processed Morinda citrifolia product of said naturaceutical formulation further comprises an active ingredient Ouercetin present in an amount between about 0.1 and 10 percent by weight.
- 56. (withdrawn) The formulation of claim 53, wherein said processed *Morinda* citrifolia product is present in an amount between about 0.01 and 100 percent by weight.
- 57. (withdrawn) The formulation of claim 55, wherein said processed Morinda citrifolia product further comprises Rutin as an additional active ingredient that synergistically works with said Quercetin to treat said migraine headaches and its associated symptoms.
- (withdrawn) The formulation of claim 57, wherein said Rutin is present in an amount between about 0.1 and 10 percent by weight.

Page 16 of 19

59. (withdrawn) The formulation of claim 53, wherein said naturaceutical is administered (i) orally, (ii) transdermally to said infected area, (iii) intravenously, or (iv) systemically.

60. (withdrawn) A method for regulating the production of estrogen within the body of a mammal for the treatment of estrogen-dependent tumors, said method comprising the steps of:

introducing, systemically, an internal composition into said mammal, said internal composition comprising:

a processed *Morinda citrifolia* product present in an amount by weight between about 0.1 and 100 percent.